

2: „

”

2 „

5

/ /

4 / /

2/ /

		/ ,
1	<b>1000</b> ( , .)	<ol style="list-style-type: none"><li>1. – 8 . • Colors: 8 + white, split colors, • Gobos: 7 + open, rotating, interchangeable, • Light Source: 1 LED (white) 60 W • DMX 512</li><li>2. LED – 20 . • Light Source: 9 x 10W, • RGBW (4-in-1), • DMX 512</li><li>3. – 2 . • Consumption 2.600W • Power Supply: 230V 50/60 Hz</li><li>4. – 4 . • Consumption 1000W • Power Supply: 230V 50/60 Hz</li><li>5. LED – 2 . • Light Source: 36 x 3W, • RGB • Power Supply: 230V 50/60 Hz • DMX 512</li><li>6. – 2 . • Consumption 1500W</li></ol>

- Power Supply: 230V 50/60 Hz

7. Haze – 2 .

- DMX control
- Remote length: 15 ft (4.6 m)
- Output: 1,200 cfm (34 m<sup>3</sup>/min)
- Fluid consumption: 8.2 ml/min
- Breaker size: 15 A
- Input voltage: 230 V 50 Hz
- Power and current: 533 W, 230 V 50 Hz

.

1. DMX – 1 .

- 512 DMX channels
- Multi platform software

2. – 1 .

- Laptop or desktop computer with USB port
- Compatible with Windows Vista, Windows 7, Windows XP).
- 1280x1024 screen resolution
- 512MB Memory
- Clock frequency: 1.5 GHz
- 128MB RAM

3. DMX – 1 .

- 4-way DMX distributor
- Truss mountable
- 1 x DMX Input, 4 x DMX outputs & 1 DMX thru

4. – 1 .

- Universal DMX-512 controller
- Controls up to 12 intelligent lights of up to 32 channels each
- 30 banks of 8 scenes, 240 scenes max
- 384 DMX channels of control
- 6 sets of chases containing 240 scenes
- Program fade and speed time into each step
- Fog & strobe control buttons

5. – 1 .

- *Chanal 6*
- *DMX Dimmer Pack 6X10A*

6. – 1 .

- Input: 3 63 380V
- Outputs: 6 x Polyamid Schuko sockets  
16A/230V  
6 x Polyamid Schuko sockets  
32A/230V  
3 x Polyamid Schuko sockets  
32A/230V

		<p>3 x CEE type socket 32A/400V/5P</p> <p>7. 220V, 380V</p> <p>8. <span style="float: right;">DMX</span></p>
2	1000	<p>1. <span style="float: right;">- 12</span></p> <ul style="list-style-type: none"> <li>• Colors: 8 + white, split colors,</li> <li>• Gobos: 7 + open, rotating, interchangeable,</li> <li>• Light Source: 1 LED (white) 60 W</li> <li>• DMX 512</li> </ul> <p>2. <span style="float: right;">LED - 20</span></p> <ul style="list-style-type: none"> <li>• Light Source: 9 x 10W,</li> <li>• RGBW (4-in-1),</li> <li>• DMX 512</li> </ul> <p>3. <span style="float: right;">- 2</span></p> <ul style="list-style-type: none"> <li>• Consumption 2.600W</li> <li>• Power Supply: 230V 50/60 Hz</li> </ul> <p>4. <span style="float: right;">- 8</span></p> <ul style="list-style-type: none"> <li>• Consumption 1000W</li> <li>• Power Supply: 230V 50/60 Hz</li> </ul> <p>5. LED <span style="float: right;">- 2</span></p> <ul style="list-style-type: none"> <li>• Light Source: 36 x 3W,</li> <li>• RGB</li> <li>• Power Supply: 230V 50/60 Hz</li> <li>• DMX 512</li> </ul> <p>6. <span style="float: right;">- 2</span></p> <ul style="list-style-type: none"> <li>• Consumption 1500W</li> <li>• Power Supply: 230V 50/60 Hz</li> </ul> <p>7. Haze <span style="float: right;">- 2</span></p> <ul style="list-style-type: none"> <li>• DMX control</li> <li>• Remote length: 15 ft (4.6 m)</li> <li>• Output: 1,200 cfm (34 m3/min)</li> <li>• Fluid consumption: 8.2 ml/min</li> <li>• Breaker size: 15 A</li> <li>• Input voltage: 230 V 50 Hz</li> <li>• Power and current: 533 W, 230 V 50 Hz</li> </ul> <p>8. <span style="float: right;">x 6 PAR 56 - 6</span></p> <p>1. DMX <span style="float: right;">- 1</span></p> <ul style="list-style-type: none"> <li>• 512 DMX channels</li> <li>• Multi platform software</li> </ul> <p>2. <span style="float: right;">- 1</span></p>

- Laptop or desktop computer with USB port
- Compatible with Windows Vista, Windows 7, Windows XP).
- 1280x1024 screen resolution
- 512MB Memory
- Clock frequency: 1.5 GHz
- 128MB RAM

3. DMX – 1 .

- 4-way DMX distributor
- Truss mountable
- 1 x DMX Input, 4 x DMX outputs & 1 DMX thru

4. – 1 .

- Universal DMX-512 controller
- Controls up to 12 intelligent lights of up to 32 channels each
- 30 banks of 8 scenes, 240 scenes max
- 384 DMX channels of control
- 6 sets of chases containing 240 scenes
- Program fade and speed time into each step
- Fog & strobe control buttons

5. – 2 .

- *Chanal 6*
- *DMX Dimmer Pack 6X10A*

6. – 1 .

- Input: 3 63 380V
- Outputs: 6 x Polyamid Schuko sockets 16A/230V
- 6 x Polyamid Schuko sockets 32A/230V
- 3 x Polyamid Schuko sockets 32A/230V
- 3 x CEE type socket 32A/400V/5P

7. 220V, 380V

8. DMX